

Giving Shape to Ideas

• • • •

Up to 36 ppm print/copy output to keep pace with rising demands
Optional dual scanning at up to 160 originals per minute
Large 9" color display with quick tablet-like touchscreen interface
3rd-party software integration with standard web browser
Built-in Emperon [®] print system, universal printer drivers
Simitri [®] HD polymerized toner for high-resolution imaging
Standard 250 GB HDD for on-board document storage
Meets ISO 15408 and IEEE 2600.1 Security standards*
Power-saving design with quick recovery from sleep mode
6,650-sheet maximum capacity, tab printing support, carbon-copy printing
Advanced authentication, secure print release, remote firmware updates
Multiple bypass tray and detachable paper feed trays improve paper handling
Finishing options for 80-page booklet-making
50-sheet stapling, 2/3-hole punch, tri-fold and more
Downloadable apps to help you work faster and smarter
i-Options to add functions for working more efficiently
EPEAT Gold-certified, low power consumption to cut costs
Mobile printing support (AirPrint, Google Cloud Print Classic, NFC)
*May not be available at time of launch

bizhub 368

MONOCHROME MID-VOLUME MULTIFUNCTION PRINTER







bizhub 368

Ideal for growing businesses, the bizhub 368 is a powerful, affordable monochrome MFP with superior Simitri HD image quality and fast 36 ppm print/copy output. Optional dual scanning at up to 160 opm brings information into your workflow faster—and enhanced touch screen simplicity never slows you down.

System Overview

System Overview	
System memory	4 GB (when UK-211 is installed)
System hard disk	250 GB Standard
Interface	10-BASE-T/100-BASE-TX/1,000-BASE-T Ethernet, USB 2.0
Network protocols	TCP/IP (IPv4/IPv6), SMB, LPD, IPP, SNMP, HTTP, HTTPS
Frame types	Ethernet 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP
Document feeder	Up to 100 originals / 5.5" x 8.5" to 11" x 17" / 35–163 gsm
(optional)	Reversing automatic document feeder or dual scan document
	feeder available
Printable paper size	Scanning/Copying: up to 11" x 17"
	Printing: up to 11" x 17" full bleed on 12" x 18" paper
	Custom paper sizes
	Banner paper max.: 11.75" x 47.25"
Printable paper	52–300 gsm
weight	
Paper input capacity	Standard: 1,150 sheets / Max.: 6,650 sheets
Tray 1	500 sheets / 5.5" x 8.5" to 11" x 17" / 52–256 gsm
Tray 2	500 sheets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm
Tray 3 (optional)	500 sheets / 5.5" x 8.5" to 11" x 17" / 52–256 gsm
Tray 4 (optional)	2 x 500 sheets / 5.5" x 8.5" to 8.5" x 11" / 52-256 gsm
Large capacity tray	3,000 sheets / 8.5" x 11" / 52-256 gsm
LU-302 (optional)	
Large capacity tray	2,500 sheets / 8.5" x 11" / 52-256 gsm
PC-410 (optional)	
Manual bypass	150 sheets / 4" x 6" to 12" x 18" / custom paper sizes / 50-300 gsm
Automatic duplexing	5.5" x 8.5" to 12" x 18" / 52-256 gsm
Finishing modes	Offset, group, sort, punch, half-fold, tri-fold, booklet
Output capacity	Max. with finisher: 3,200 sheets
	Max. without finisher: 250 sheets
Stapling (optional)	Max.: 50 sheets or 48 sheets + 2 cover sheet (up to 209 gsm)
Stapling output	Max.: 1,000 sheets
capacity	
Tri-fold (optional)	Up to 3 sheets
Tri-fold capacity	Max.: 30 sheets (tray)
Booklet (optional)	Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)
Booklet output	Max.: 100 sheets (tray)
capacity	
Copy/print volume	Max.: 175,000 pages/month ¹
Toner lifetime	24,000 pages
Imaging unit lifetime	120,000 pages / 600,000 pages (Drum / Developer)
Power consumption	120 V / 60 Hz, less than 1.5 kW (system)
System dimensions	24.2" x 27" x 31" (W x D x H)
System weight	Approx. 167.55 lb
· ·	

Copying process	Electrostatic laser copy, tandem, indirect
Toner system	Simitri [®] HD Polymerized Toner
Print speed (8.5" x 11")	Up to 36 ppm (Portrait)
Print speed (11" x 17")	Up to 18 ppm (Portrait)

(11" x 17")	
Autoduplex speed (8.5" x 11")	Up to 36 ppm (Portrait)
1st copy out time	5.0 sec.
Warm-up time	Approx. 20 sec. ²
Copy resolution	600 x 600 dpi
Gradations	256 gradations
Multi-copy	1–9,999
Original format	Up to 11" x 17"
Magnification	25–400% in 0.1% steps, auto zooming
Copy functions	Electronic sorting, multi-job, adjustments (contrast, sharpness, image density), proof copy, interrupt mode, color mode, separate scan, sort/group, combination, original selection, ID card copy, 2-in-1.4-in-1

Scanner Specifications

Copier Specifications

Scutter Specificat	ocumer opecaneurono	
Scan speed	B&W / Color: up to 160 ipm with optional DF-704	
Scan resolution	Max.: 600 x 600 dpi	
Scan modes	Scan-to-Email, Scan-to-SMB, Scan-to-FTP, Scan-to-Box, Scan-to-	
	USB, Scan-to-WebDAV, Scan-to-DPWS, Network TWAIN scan	
File formats	JPEG, TIFF, PDF, PDF/A 1a and 1b (optional), compact	
	PDF, encrypted PDF and searchable PDF (optional), XPS,	
	compact XPS, PPTX and searchable PPTX (optional), searchable	
	DOCX/XLSX (optional)	
Scan destinations	2,100 (shared with fax), LDAP support	
Scan functions	Annotation (text/time/date) for PDF, up to 400 job programs,	
	realtime scan preview	

Fax Specifications

i ux opecifications	
Fax	Super G3 (optional)
Transmission	Analog, Internet fax, Color i-Fax, IP-Fax
Resolution	Max.: 600 x 600 dpi (ultra-fine)
Compression	MH, MR, MMR, JBIG
Modem	Up to 33.6 Kbps
Destinations	2,100 (single + group)
Functions	Polling, time shift, PC-fax, receipt to confidential box,
	receipt to Email/FTP/SMB, up to 400 job programs

Printer Specifications

1,800 x 600 dpi, 1,200 x 1,200 dpi
PCL6 (XL 3.0), PCL5c, PostScript 3 (ver. 3016), XPS
Windows (x32/x64): XP / Vista / 7 / 8
Windows Server (x32/x64): 2003 / 2008 / 2008 R2 ³ / 2012 ³
Macintosh OS X 10.6 or later
Linux / Citrix
80 PCL Latin, 137 PostScript 3
Direct Print of PCL, PS, TIFF, XPS, PDF, encrypted PDF files
and OOXML (DOCX, XLSX, PPTX), mixmedia and mixplex,
"Easy Set" job programming, overlay, watermark, copy
protection, carbon copy print

User Box Specifications

ober box opeenieutions	
Storable documents	Max.: 3,000 documents or 10,000 pages
Type of user boxes	Public
	Personal (with password or authentication)
	Group (with authentication)
Type of system boxes	Secure print, encrypted PDF, fax receipt, fax polling, annotation
User box functionality	Reprint, combination, download, sending (Email/FTP/SMB and
	fax), copy box-to-box

mfp

System Features Security	ISO 15408 EAL ⁴
Security	IEEE 2600.14
	IP filtering and port blocking
	SSL2, SSL3 and TSL1.0 network communication
	IPsec support
	IEEE 802.1x support
	FIPS 140-2
	User authentication
	Authentication log
	Secure print
	Hard disk overwrite (8 standard types)
	Hard disk data encryption (AES 128)
	Memory data auto deletion
	Confidential fax receipt,
	Print user data encryption
	Copy protection (Copy Guard, Password Copy) optional
Accounting	Up to 1,000 user accounts
-	Active Directory support
	(user name + password + Email + SMB folder)
	User function access definition
	Optional Biometric authentication (finger vein scanner)
	Optional ID card authentication (ID card reader)
Software	PageScope Net Care Device Manager
	PageScope Data Administrator
	PageScope Box Operator
	PageScope Direct Print
	Print Status Notifier
	Driver Packaging Utility
	Log Management Utility

¹ Maximum monthly duty cycle desribes the maximum number of pages a device can output on a monthly basis. This specification is a guideline intended to offer a comparison of durability as it relates to the entire Konica Minolta MFP and printer product line so that the appropriate device can be placed in order to meet customer needs

² Warm-up time may vary depending on the operating environment and usage

³ Supports x64 only

⁴ Certification pending

Components and Options AU-102 Biometric	Finger vein scanner
authentication	
AU-204H Magnetic stripe	Requires WT-506 Working Table
card reader	
AU-205H Universal	Various ID card technologies
ID card reader*	
AU-211 CA/PIV solution	Requires WT-506 Working Table
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection, Bluetooth
DF-629 Document feeder	Reversing automatic document feeder, capacity 100 originals
DF-704 Document feeder	Dual scan automatic document feeder, capacity 100 originals
DK-510 Copier desk	Provides storage space for print media and other materials
FK-514 Fax board	Super G3 fax, digital fax functionality
FK-515 Fax board	Super G3 fax, digital fax functionality, lines 3 & 4 support
	(requires MK-742)
FS-533 Staple finisher	50-sheet stapling, 500 sheets max. output
FS-536 Staple finisher	50-sheet stapling, 3,200 sheets max. output (requires RU-513)
FS-536SD	50-sheet stapling, 5,200 sheets max. output (requires to 515)
Booklet finisher	2,200 sheets max. output (requires RU-513)
HD-524 Hard disk	Hard disk mirroring, 250 GB
IS-506 lob separator	Separation for fax output, etc.
KH-102 Keyboard holder	To place USB keyboard
KP-101 10-Key pad	For use instead of touchscreen
LK-102 v3 PDF	PDF/A, PDF encryption, digital signature
enhancements	P DI /A, i Di energetion, digital signature
LK-104 v3	Provides voice guidance functions
Voice guidance	r tovides voice guidance functions
LK-105 v4	Searchable PDF
OCR text recognition	
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110 v2 Enhanced	Generates various file formats incl. DOCX, XLSX and
image support	combines LK-102 (encrypted PDF) + LK-105 (searchable
	PDF/OCR functionality)
LK-111 ThinPrint® Client	Print data compression for reduced network impact
LU-302	8.5" x 11", 3,000 sheets / 52–256 gsm
Large capacity unit	0.0 X 11 , 0,000 sheeta / 02 200 gam
MK-730 Mount kit	Banner paper guide
MK-735 Mount kit	Installation kit for ID card reader
MK-742 Mount kit	Installation kit for FK-515 fax board
OC-511 Original cover	Cover instead of auto document feeder
PC-110 Universal tray (x1)	5.5" x 8.5" to 11" x 17", 500 sheets, 52–256 gsm
PC-210 Universal tray (x2)	5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52–256 gsm
PC-410 Large capacity tray	8.5" x 11", 2,500 sheets, 52–256 gsm
PK-519 Punch kit	2/3-hole punching, autoswitching
for FS-533	L, o holo partoning, autosmenning
PK-520 Punch kit	2/3-hole punching, autoswitching
for FS-536	_, partoring, accountoring
RU-513 Relay unit	Required for the FS-536 / FS-536SD
SC-508 Security kit	Copy Guard function (2x required when DF-704 is installed)
SP-501 Stamp unit	Added fax stamp capability kit
UK-211 Memory expansion	2 GB memory expansion, required for most i-Options, registered
on 211 mentory expansion	overlay, and concurrent use of web browser and certain other
	functions, including stamp print, watermark, date/time print,
	header/footer, image overlay and management number
UK-212 Wireless LAN	Wireless I AN to network connector
WT-506 Working table	Authentication device placement
The southorning table	Authentication device placement

*May not be available at time of launch



Partnership.

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

Information Management

Enterprise Content Management (ECM) Document Management Automated Workflow Solutions Business Process Automation Security and Compliance Mobility eDiscovery Services

IT Services

Application Services Cloud Services IT Security Managed IT Services

IT Consulting & Projects

Technology

Office Multifunction Business Solutions Commercial and Production Printers 3D Printers Wide Format Printers Laptops, Desktops and Computer Hardware Servers and Networking Equipment Managed Print Services (MPS) Managed Enterprise Services

